

STYLED IN ITALY. PROUDLY AMERICAN.

# NATIVE



**atlas concorde**  
USA



NEW 2017

# NATIVE

## NATIVE

Native North Granite Wall Bullnose 2"X12" - 5X30.5 cm  
Native North Granite Wall Mosaic 12"X12" - 30.5X30.5 cm  
Native North Granite 12"X22" - 30.5X56 cm  
Native North Granite 11<sup>3/4</sup>"x23<sup>5/8</sup>" - 30x60 cm



North Granite



South Limestone



East Bluestone



West Quartzite

## The elegance of American land

From the four corners of the US come four inspirations of natural stones celebrated in NATIVE. Bright Granite from the North, warm Southern Limestone, Quartzites of the West and Bluestone attributing the East Coast. Their veins, grains and alternations of colors make them suitable to create chic and modern looks, inspired by the most precious stones used in American architecture. The full range of floor and wall tiles exemplify the originality of American materials.

- Natural stone look
- Complete floor & wall range
- 2 floor sizes: 12"x24", 24"x24"
- 2 wall sizes: 12"x22", 3"x12"
- 3D wall tiles
- Residential and commercial spaces



COLORED BODY PORCELAIN TILE



North Granite



East Bluestone



South Limestone



West Quartzite



## NATIVE

- Native South Limestone Brick 3<sup>1</sup>/<sub>8</sub>" x 12<sup>3</sup>/<sub>8</sub>" - 8x31.5 cm
- Native South Limestone Listello 3<sup>1</sup>/<sub>8</sub>" x 12<sup>3</sup>/<sub>8</sub>" - 8x31.5 cm
- Native South Limestone Wall Bullnose 2" x 12" - 5x30.5 cm
- Native South Limestone 23<sup>5</sup>/<sub>8</sub>" x 23<sup>5</sup>/<sub>8</sub>" - 60x60 cm
- Native South Limestone Bullnose 3" x 24" - 7.2x60 cm



SIZE - THICKNESS | 11<sup>3/4</sup>"x23<sup>5/8</sup>" - 30x60 cm / 23<sup>5/8</sup>"x23<sup>5/8</sup>" - 60x60 cm  $\nabla$  9 mm FINISH | MATTE



**NATIVE North Granite**  
23<sup>5/8</sup>"x23<sup>5/8</sup>" - 60x60 cm - Rectified  
600010002304



**NATIVE South Limestone**  
23<sup>5/8</sup>"x23<sup>5/8</sup>" - 60x60 cm - Rectified  
600010002305



**NATIVE East Bluestone**  
23<sup>5/8</sup>"x23<sup>5/8</sup>" - 60x60 cm - Rectified  
600010002302



**NATIVE West Quartzite**  
23<sup>5/8</sup>"x23<sup>5/8</sup>" - 60x60 cm - Rectified  
600010002306



**NATIVE North Granite**  
11<sup>3/4</sup>"x23<sup>5/8</sup>" - 30x60 cm  
600010002095



**NATIVE South Limestone**  
11<sup>3/4</sup>"x23<sup>5/8</sup>" - 30x60 cm  
600010002200



**NATIVE East Bluestone**  
11<sup>3/4</sup>"x23<sup>5/8</sup>" - 30x60 cm  
600010002201



**NATIVE West Quartzite**  
11<sup>3/4</sup>"x23<sup>5/8</sup>" - 30x60 cm  
600010002202

## MOSAICS & DECORS



**NATIVE North Granite Mosaic**  
11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
(Mosaic 2"x2")  
600110000801



**NATIVE South Limestone Mosaic**  
11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
(Mosaic 2"x2")  
600110000802



**NATIVE East Bluestone Mosaic**  
11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
(Mosaic 2"x2")  
600110000803



**NATIVE West Quartzite Mosaic**  
11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
(Mosaic 2"x2")  
600110000804



**NATIVE North Granite Brick Mosaic**  
11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
(Brick Mosaic 1"x11<sup>3/4</sup>")  
600110000813



**NATIVE South Limestone Brick Mosaic**  
11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
(Brick Mosaic 1"x11<sup>3/4</sup>")  
600110000814




**NATIVE East Bluestone Brick Mosaic**  
11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
(Brick Mosaic 1"x11<sup>3/4</sup>")  
600110000815




**NATIVE West Quartzite Brick Mosaic**  
11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
(Brick Mosaic 1"x11<sup>3/4</sup>")  
600110000812

## COORDINATING TRIMS

	Bullnose	Cove base
NATIVE North Granite	610130000512	600130000561
NATIVE South Limestone	610130000513	600130000562
NATIVE East Bluestone	610130000514	600130000563
NATIVE West Quartzite	610130000515	600130000564



**Bullnose**  
3" x 24" - 7.2x60 cm




**Cove base**  
6" x 12" - 15x30 cm -  $\nabla$  8,5mm

WHITE BODY WALL TILE




North Granite



3D Rock Pearl



South Limestone



3D Rock Ivory



## NATIVE

- Native South Limestone Brick 3<sup>1</sup>/<sub>8</sub>"x12<sup>3</sup>/<sub>8</sub>" - 8x31.5 cm
- Native South Limestone Listello 3<sup>1</sup>/<sub>8</sub>"x12<sup>3</sup>/<sub>8</sub>" - 8x31.5 cm
- Native South Limestone Wall Bullnose 2"x12" - 5x30.5 cm



## NATIVE

- Native 3D Rock Ivory 12"X22" - 30.5X56 cm
- Native West Quartzite Brick Mosaic 11<sup>3</sup>/<sub>4</sub>"X11<sup>3</sup>/<sub>4</sub>" - 30X30 cm
- Native West Quartzite 23<sup>5</sup>/<sub>8</sub>"X23<sup>5</sup>/<sub>8</sub>" - 60X60 cm

- Native 3D Rock Ivory 12"X22" - 30.5X56 cm
- Native West Quartzite Brick Mosaic 11<sup>3</sup>/<sub>4</sub>"X11<sup>3</sup>/<sub>4</sub>" - 30X30 cm
- Native West Quartzite 23<sup>5</sup>/<sub>8</sub>"X23<sup>5</sup>/<sub>8</sub>" - 60X60 cm
- Native West Quartzite Cove Base 6"X12" - 15X30 cm







SIZE - THICKNESS	12"x 22" - 30.5x56 cm	8.5 mm	FINISH	GLOSSY - MATTE
	3D 12"x 22" - 30.5x56 cm	9.5 mm		
	3 1/8" x 12 3/8" - 8x31.5 cm	8.5 mm		



**NATIVE North Granite**  
12"x22" - 30.5x56 cm - Rectified - Glossy  
600015000275



**NATIVE South Limestone**  
12"x22" - 30.5x56 cm - Rectified - Glossy  
600015000276



**NATIVE North Granite Brick**  
3 1/8" x 12 3/8" - 8x31.5 cm  
Glossy  
600015000277



**NATIVE South Limestone Brick**  
3 1/8" x 12 3/8" - 8x31.5 cm  
Glossy  
600015000278



**NATIVE 3D Rock Pearl**  
12"x 22" - 30.5x56 cm - 9.5mm  
Rectified - Matte  
600015000274



**NATIVE 3D Rock Ivory**  
12"x 22" - 30.5x56 cm - 9.5mm  
Rectified - Matte  
600015000273

## MOSAICS & DECORS



**NATIVE Granite Wall Mosaic**  
12"x12" - 30.5x30.5 cm  
(Mosaic 1.3"x1.3")  
600110000825



**NATIVE Limestone Wall Mosaic**  
12"x12" - 30.5x30.5 cm  
(Mosaic 1.3"x1.3")  
600110000826




**NATIVE Granite Wall Listello**  
3 1/8" x 12 3/8" - 8x31.5 cm  
600110000832



**NATIVE Limestone Wall Listello**  
3 1/8" x 12 3/8" - 8x31.5 cm  
600110000833

## COORDINATING TRIMS

	Wall Bullnose	Corner Line
NATIVE North Granite	600140000013	600010001970
NATIVE South Limestone	600140000014	600010001971



Wall Bullnose  
2" x 12" - 5x30.5 cm



Corner Line  
1/2" x 12" - 1.2x30.5 cm

## NATIVE

Native 3D Rock Pearl 12"x22" - 30.5x56 cm  
Native East Bluestone 11 3/4" x 23 5/8" - 30x60 cm



# Sustainability



Every Atlas Concorde USA porcelain tile collection is PTCA Certified. Under the program, established jointly by the Porcelain Tile Certification Agency (PTCA) and the Ceramic Tile Distributors Association (CTDA), manufacturers can “prove” their product is really porcelain (meeting the water absorption criteria of the American national standard - ASTM C373).



LEED (Leadership in Energy and Environmental Design) is a rating system created to encourage the construction of “green” buildings. Developed by the US Green Building Council and internationally recognized, it points out the necessary requirements to build eco-compatible projects, capable of functioning in sustainable and autonomous way in terms of energy consumption as well as having a low environmental impact throughout their entire life-cycle. Atlas Concorde USA is a member of the US Green Building Council.



Atlas Concorde USA products are low-emitting materials with zero emission of volatile organic compounds (VOC). This can contribute to the awarding of 1 LEED credit.



Atlas Concorde USA is a member of TCNA, a trade association representing manufacturers of ceramic tile, tile installation materials, tile equipment, raw materials, and other tile-related products. The Tile Council is recognized for its leadership role in facilitating the development of North American and international industry quality standards to benefit tile consumers.



The Ceramic Tile Distributors Association (CTDA) is an international association of distributors, manufacturers and allied professionals of ceramic tile and related products. CTDA connects, educates and strengthens tile and stone distributors. Atlas Concorde USA is a member of CTDA.



The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. The HPD Open Standard was created and is maintained and evolved by the HPD Collaborative, a customer-led organization committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain. Atlas Concorde USA adheres with its own HPD.



An Environmental Product Declaration (EPD) is an independently verified and registered document that communicates transparent and comparable information about the life-cycle environmental impact of products. It is a transparent declaration of the life-cycle environmental impact, which Atlas Concorde USA makes available to customers.



Atlas Concorde USA can provide a Product Environmental Footprint (PEF), a multi-criteria measure of the environmental performance of a good or service throughout its life cycle. PEF information is produced for the overarching purpose of seeking to reduce the environmental impacts of goods and services taking into account supply chain activities.

The Health Product Declaration® logo is a registered trademark of HPD Collaborative.



## WHITE BODY WALL TILE



Compliant with standards ANSI A137.1-2012

SIZE - THICKNESS

12"x22" - 30.5x56 cm  $\pm$  8.5 mm  
 3D 12"x22" - 30.5x56 cm  $\pm$  9.5 mm  
 3 1/8" x 12 3/8" - 8x31.5 cm  $\pm$  8.5 mm

FINISH

GLOSSY - MATTE



V3

### MODERATE VARIATION

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

### FIELD TILES - Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12"x22"	12 3/8" x 22 1/2"	8.5 mm	Glossy	Yes
3D 12"x22"	12 3/8" x 22 1/2"	9.5 mm	Matte	Yes
3"x12"	3 1/8" x 12 3/8"	8.5 mm	Glossy	-

### MOSAICS AND COORDINATING TRIMS - Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish
Mosaic 1"x1"	1.3" x 1.3"	8.5 mm	Glossy
Wall Listello 3"x12"	3 1/8" x 12 3/8"	8.5 mm	Matte
Wall Bullnose 2"x12"	2 7/8" x 23 5/8"	8.5 mm	Glossy
Corner Line 1/2"x12"	5 7/8" x 11 3/4"	8.5 mm	Glossy

Please refer to caliber chart for work sizes. Close joints are not recommended.

## PERFORMANCE & FEATURES

### NATIVE

PROPERTY	ASTM TEST METHOD	Porcelain Tile Specification				NATIVE Wall
		Calibrated		Rectified		
		Minimum	Maximum	Minimum	Maximum	
REGULARITY CHARACTERISTICS	Nominal Size	-2.00%	2.00%	-2.00%	2.00%	Compliant
	Caliber Range (Variation from average facial dimension of sample)	-0.30% or -0.04 in (-1.0 mm) (*)	0.30% or 0.04 in (1.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
	Thickness (1)	N/A	Range: 0.031 in (0.79 mm)	N/A	Range: 0.031 in (0.79 mm)	Compliant
	Wedging	-0.40% or -0.05 in (-1.3 mm) (*)	0.40% or 0.05 in (-1.3 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
	Warpage Edge	-0.30% or -0.04 in (-1.0 mm) (*)	0.40% or 0.05 in (1.3 mm) (*)	-0.30% or -0.04 in (-1.0 mm) (*)	0.40% or 0.05 in (1.3 mm) (*)	Compliant
Warpage Diagonal	-0.30% or -0.05 in (-1.3 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	-0.30% or -0.05 in (-1.3 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant	
All Porcelain Tiles						
STRUCTURAL CHARACTERISTICS	Water Absorption	ASTM C373	≥ 10.0%			10% - 20%
BULK MECHANICAL CHARACTERISTICS	Breaking Strength	ASTM C648	Average ≥ 125 lbf. (1.11 kN) Individual ≥ 100 lbf. (0.44 kN)			≥ 175 lbf. avg
PHISICAL PROPERTIES	Bond Strength	ASTM C482	≥ 50 psi (0.34 Mpa)			≥ 100 psi
THERMAL AND IGROMETRIC CHARACTERISTICS	Crazing Resistance	ASTM C424	Pass			Resistant
	Thermal Shock Resistance	ASTM C484	Pass			Resistant
CHEMICAL CHARACTERISTICS	Chemical Resistance	ASTM C650	As Reported			Unaffected
	Stain Resistance	ASTM C1378	As Reported			Unaffected

(\*) Whichever is less  
 (1) May not apply to textured surfaces or tiles with uneven back patterns.



The Health Product Declaration® logo is a registered trademark of HPD Collaborative.



COLORED BODY PORCELAIN TILE



Compliant with standards ANSI A137.1-2012

SIZE - THICKNESS

11<sup>3/4</sup>" x 23<sup>5/8</sup>" - 30x60 cm ± 9 mm  
23<sup>5/8</sup>" x 23<sup>5/8</sup>" - 60x60 cm ± 9 mm

FINISH

MATTE



V3

MODERATE VARIATION

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

FIELD TILES - Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12"x24"	11 3/4" x 23 5/8"	9 mm	Matte	-
24"x24"	23 5/8" x 23 5/8"	9 mm	Matte	Yes

MOSAICS AND COORDINATING TRIMS - Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish
Mosaic 2"x2"	11 3/4" x 11 3/4"	9 mm	Matte
Brick Mosaic 1"x1 <sup>13/4</sup> "	11 3/4" x 11 3/4"	9 mm	Matte
Bullnose 3"x24"	2 7/8" x 23 5/8"	9 mm	Matte
Cove Base 6"x12"	5 7/8" x 11 3/4"	8.5 mm (*)	Matte

Please refer to caliber chart for work sizes.  
Close joints are not recommended.  
(\*): Cove Base thickness is 7 mm on flat top part.

PERFORMANCE & FEATURES

NATIVE	PROPERTY	ASTM TEST METHOD	Porcelain Tile Specification				NATIVE Floor
			Calibrated		Rectified		
			Minimum	Maximum	Minimum	Maximum	
REGULARITY CHARACTERISTICS	Nominal Size	ASTM C499	-3.00%	3.00%	-3.00%	2.00%	Compliant
	Caliber Range (Variation from average facial dimension of sample)		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
	Thickness (1)		N/A	Range: 0.40 in (1.02 mm)	N/A	Range: 0.40 in (1.02 mm)	Compliant
	Wedging	ASTM C502	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
	Warpage Edge	ASTM C485	-0.75% or -0.09 in (-2.3 mm) (*)	0.75% or 0.09 in (2.3 mm) (*)	-0.40% or -0.05 in (-1.3 mm) <sup>(2)</sup> or -1.8 mm <sup>(3)</sup> (*)	0.40% or 0.05 in (1.3 mm) <sup>(2)</sup> or 1.8 mm <sup>(3)</sup> (*)	Compliant
Warpage Diagonal	-0.50% or -0.08 in (-2.0 mm) (*)		0.50% or 0.08 in (2.0 mm) (*)	-0.40% or -0.07 in (-1.8 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant	
			All Porcelain Tiles				
STRUCTURAL CHARACTERISTICS	Water Absorption	ASTM C373	≤ 0.5%				≤ 0.5%
BULK MECHANICAL CHARACTERISTICS	Breaking Strength	ASTM C648	Average ≥ 250 lbf. (1.11 kN) Individual ≥ 225 lbf. (1.00 kN)				≥ 350 lbf. avg
PHYSICAL PROPERTIES	Bond Strength	ASTM C482	≥ 50 psi (0.34 Mpa)				≥ 100 psi
THERMAL AND IGROMETRIC CHARACTERISTICS	Resistance to Freeze/Thaw Cycling	ASTM C1026	As Reported				Resistant
CHEMICAL CHARACTERISTICS	Chemical Resistance	ASTM C650	As Reported				Unaffected
	Stain Resistance	ASTM C1378	As Reported				Unaffected
SAFETY CHARACTERISTICS	Dynamic coefficient of friction	DCOF	Requires a minimum value of 0.42 for commercial areas that are likely to be wet				> 0.42 Wet

(\*) Whichever is less  
(1) May not apply to textured surfaces or tiles with uneven back patterns.  
(2) Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).  
(3) Applies to tiles larger than 24"x24" (610 mm x 610 mm).

The Health Product Declaration® logo is a registered trademark of HPD Collaborative.



Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist.

© Copyright Atlas Concorde USA, Inc. 2017  
The reproduction of the work, fully or in part, is strictly forbidden.